

FIGURA arkitekter ab
Järnvågsgatan 3
S-413 27 Göteborg
Sweden

Tel +46 708 334 632
e-mail richard.nilsson@figura.se
figura@figura.se
web www.figura.se

Postgiro 72 60 62-3
Bankgiro 762-9892
Org nr 14-55 61 76-4761
Vat SE556176476101

buildings interiors design
FIGURA



NORDICA REFIT 2022

PUBLIC AREAS DK 4 & 6

SCHEDULE OF FINISHES

TENDER DOCUMENT
Gothenburg 2021.12.22

~~Rev A 2022.05.18~~

~~Rev B 2022.08.29~~

~~Rev C 2022.09.18~~

Rev D 2022.09.18

CONTENTS

		Rev
1 GENERAL CLAUSES	This paragraph is included in contract specification	
2 SCHEDULE OF FINISHES	GENERAL	
	STAIR HALLS ELEVATOR	
	PUBLIC TOILET	
	GUEST SERVICE OFFICE	
	SHOP SHOP STORE	
	LIVING ROOM LOUNGE	
	FWD RESTAURANT “BISTRO” (NAME TO BE DECIDED)	B
	MID CAFÉ/BAR (NAME TO BE DECIDED)	B
	HYGGE LOUNGE MOVIE LOUNGES STENA PLUS	
3 SUPPLIERS LIST		

1.1 GENERAL

DOCUMENTS		Rev
	Reference ships: STENA EDDA. To be used for reference regarding standard of quality, finishes and and complexity for the interior design scope of work. This document is a Tender Document. This document cannot be used as manufacturing drawings. Contractor is responsible for any required manufacturing drawings. Manufacturing drawings to be approved by Stena Line and FIGURA. Stena Line Design Book illustrations is generic color schemes illustrated in this schedule. NOTE! This Outline Schedule of finishes and Mood boards are concerning the Public areas. Photos and sketches are from reference ship and is just illustrations for design and quality standard. Designs are corporate and shall be followed.	
GENERAL	• All equipment to apply to European Union Council, Directive 96/98 EC on Marine Equipment (EU wheel mark). • In general no heavy weight material shall be used (cape board panels etc.).The Builder is responsible for checking measurements before manufacturing. • NOTE: Builder shall control all structural elements and measures before manufacturing. • All construction and mounting to be according to manufacturer and approved of by buyer and architect. • All equipment to be manufacture for Marine use. • The Buyer shall approve all new equipment and drawings. • Coir matting recessed in deck with L-profile welded around and drainage in way of all areas from outside deck to inside. • All doors frames and trims RAL9007	
MATERIALS		
	• All core materials to be non-combustible. • All laminates according to IMO code. • Material in combination with specified linings shall be of such quality that the construction applies to the regulations required.	

	- No nuts or screws for fixing shall be visible if not specially specified. - All timber to be lacquered with fire retardant lacquer.	
FLOORING		
	- Wall to wall carpets to be in quality as specified in floor types. Designs are corporate and must be followed. - Flooring in public toilets to be in tiles, laser cut with minimal grouts. - Tile flooring to be type Casalgrande Padana or equivalent - Anti skid flooring in way of back bars and server back counters type Polyfloor	
LININGS		
	- Linings follow corporate design and should be followed. Substitute material for owners approval. - Softcore panels should have foil finish in Gislaved Decor M-1320 or equivalent, v-joint - All laminate should be of standard range Formica, Pfleiderer or equivalent. - All laminate panels to be with V-joints unless otherwise specified. - All laminate panels should have trims in either metal, timber or ABS edging thickness 2mm. - No sharp edges on touchable endings and corners.	

FURNITURE & FABRICS		
	• All fixed furniture type counters, partitions etc to be in laminate Formica, Pfleiderer standard range or equivalent • Counter tops to be in solid surface material type LG HiMacs • All tables to be fixed to floor unless otherwise noted • All tables to have should have trims in either metal, timber or ABS edging 2mm. • All fabrics and foam to be of FR quality acc. to IMO code. • No sharp edges on touchable endings and corners. • All table heights to be checked with proposed surrounding furniture heights in mock-up. • All interior shelves and cupboards furniture to be fixed fitted. • All pillars to have circular metal cladding in s/s according to specification. • All catering furniture and counters to be equipped with locks • All accessories in Public toilets, HCP toilets, Cabin wet units should be shown in TK drawings and follow rules, regulations and Specification • 10 designated disable chair positions should be provided on the vessel • 4% of the ship passenger seats should be suitable for disabled person in way of evacuation routes and toilets (IMO MSC CIRC.735)	
CEILINGS		
	• Ceilings to be of type Lautex open type unless otherwise noted. • Ceiling panels to be in 100 and 200 mm width, tiles 600x600 with acoustic insulation • Shop ceiling in expanded metal painted 600x1200 • Sprinklers, smoke detectors, diffusers etc. to be centrally positioned in ceiling panels.	

ELECTRIC INSTALLATIONS		
	• Sockets and USK acc to contract • Cabling shall be hidden. Switches, power points, computer outlets and equal equipment must be positioned and colored in such way it blends in with the interior. • Builder are responsible to make a proposal of dimming system to be sent to Buyer and Light Designer for approval. • Levels of lighting brightness on every scene and light fitting have to be adjusted by the Light Designer on site. • Necessary preparations in bulkhead and furniture for invisible electrical connections and mounting of decorative light fittings shall be prepared for by Builder, in accordance with drawings. • Lighting fitted in furniture and counters to be supplied and fitted by Builder, unless otherwise specified. • Preamble to the schedule of finishes shall be considered as an integrated part of the specification.	
LIGHT FITTINGS	• All light fittings to be properly fixed to floor, bulkheads and ceiling with appropriable fixing method. • Contractor to propose fixing method and modifications that apply to marine standards as regards to vibration etc. • All system lighting to be type or equivalent Glamox LED downlights recessed • All public areas areas to have lights that are dimmable and be controlled by a DALI system	
	• All light fittings to be properly fixed to floor, bulkheads and ceiling with appropriable fixing method. • Contractor to propose fixing method and modifications that apply to marine standards as regards to vibration etc. • All new ystem lighting to be type Glamox LED spotlights	
SIGNAGE	• Artwork and Posters are Buyer supply.	

**STENA NORDICA
PUBLIC AREAS
DK 4 & 6****TENDER DOCUMENT****2021.12.22****7 (89)**

Revision/Date

Handläggande/Responsible

D 2022-10-18**RN****EXPLANATIONS**

- Explanation in Schedule

F – Flooring

S – Skirting

B – Bulkhead lining

C – Ceiling type

CI – Fixed and loose furniture, curtains etc

- Abbreviations

Dwg – drawing

Acc – according

Sim - similar

Diam – diameter

Rad – radius

WS – waste station, clearing station

FLOOR TYPES

LITTERA	AMOUNT	TYPE	SAMPLE	Rev
F1		VINYL FLOORING		
F1:1		Existing vinyl flooring		
F1:2		Gerflor Streamo/Light Maple (Stair halls, New alleyways dk 4, Guest service)		
F1:3		Gerflor Streamo/Light Maple (Fwd Restaurant Taste servery dk 5)		
F1:4		Gerflor/Streamo 1228 Concrete Dark Grey & 1229 Concrete Light Grey Stripes 600 wide. Pattern acc to dwg. (Shop)		
F1:5		Gerflor Streamo/Light Maple with grove Gerflor black 0331 4x914 mm in between every second panel (Bar dk 4)		B

Projektnamn/Project name

**STENA NORDICA
PUBLIC AREAS
DK 4 & 6**

Typ av handling/Type of document

TENDER DOCUMENT

Datum/Date

2021.12.22

Revision/Date

D 2022-10-18

Sidnr/Page No

9 (89)

Handläggande/Responsible

RN



F1:6		Gerflor Streamo/Light Maple (Stena Plus)				
-------------	--	---	--	---	--	--

FLOOR TYPES

LITTERA	AMOUNT	TYPE	SAMPLE	Rev
F2		WALL TO WALL CARPET <i>Quality:</i> Public Areas - Axminster 1800gr/sqm. Patterns acc to later spec Cabin corridors - Axminster 1600gr/sqm. Patterns acc to later spec Cabins - Axminster 1100gr/sqm. Patterns acc to later spec <i>Note:</i> Carpets specified with reference number from HAIMA supplied to Stena Estrid. Images in this schedule only as illustration. Samples of the carpets will be supplied to the yard so if local supplier will be used these will serve as originals for supplier to make identical copies. Yard to provide samples for owner's approval. All carpet designs are owned by Stena and are corporate designs. 2022-11-24 NOTE STENA NORDICA NEW SPEC: PATTERN TO BE USED EGE/HAMMER COLORTEC 80/20 CEMENT RE17869-5653GU COLORWAYS ACC TO BELOW SPECIFICATION.	 COLORTEC 80/20 CEMENT RE17869-5653GU	

F2:1		Wall to wall carpet type Haima special design, 1800gr/sqm Haima code: B9A18041653 (Stair hall)		
F2:2	TBD	Wall to wall carpet type Haima special design, 1800gr/sqm Haima code: R023805A Alt Hammer Carpets Stena corporate range (Fwd restaurant Taste MK2) This carpet is being processed for new concept		B
F2:3	TBD	Wall to wall carpet type Haima special design, 1800gr/sqm Haima code: BOA1904162-GA-2 (Bar dk 4) This carpet is being processed for new concept		B

F2:4		Wall to wall carpet type Haima special design, 1800gr/sqm Haima code: BOA1805110-G-2 (Living room)		
F2:5		Wall to wall carpet type Haima special design, 1800gr/sqm Haima code: R023805A Hammer Carpets Stena corporate range 8688,3445 F (Office)		

F2:6		Wall to wall carpet type Haima special design, 1800gr/sqm Haima code: BOA1904062-GB (Hygge lounge & Movie lounges dk 6)		
F2:7		Wall to wall carpet type Haima special design, 1800gr/sqm Haima code: BOA1901150-3 (Plus Lounge)		

F3		TILE FLOORING.		
F3:1		Casalgrande Padana/Piombo, 100x600 with minimal grout (Public toilets)		
F4		PVC FLOORING		
F4:1		Polyflor/Voyager PU 3710 light grey (Lockers, Linen, Life jackets, Stores etc.)		

STENA NORDICA PUBLIC AREAS DK 4 & 6

TENDER DOCUMENT

2021.12.22


14 (89)

Revision/Date




Handläggande/Responsible

D 2022-10-18

RN

F4:2		Polyflor/Voyager MarineSafe 3190 Black Sea (Antislip back bars)				
F4:3		Polyflor/Voyager MarineSafe 3180 Anchor Grey (Pantries)				

LININGS

LITTERA	AMOUNT	TYPE	SAMPLE	Rev
L1-L9		STAIR HALLS, ALLEWAYS & GUEST SERVICE		
L1		Gislaved/Décor M-1320 - 026-C94E sim to Formica/F1079 Natural Oak NAT to be checked (Stair halls)		
L2		F1994 Fox Matte 58 Light grey (Laminate panel stair hall landing) Cut out letters in s/s to mark deck i.e 5/6		
L3		Formica/F1079 Natural Oak NAT (Elevator wall 1)		
L4		Mirror (Elevator wall)		

L5		Pfleiderer/U11015VV White		
L6		Formica/ F1079 Natural Oak NAT (Country cherry) (Guest service & office)		B
L7		Formica/F7851 Spectrum Blue MAT (Guest service back wall)		
L8		LG HiMacs/S033 Nordic White CORIAN/ ANTARCTICA (Guest service counter top)		B


**STENA NORDICA
PUBLIC AREAS
DK 4 & 6****TENDER DOCUMENT****2021.12.22****17 (89)**


Revision/Date

Handläggande/Responsible


D 2022-10-18**RN**


L9		Gislaved/M-1320-027-1058 (Office)		



LITTERA	AMOUNT	TYPE	SAMPLE	Rev
L10-L19		PUBLIC TOILETS		
L10		Gislaved/Décor M-1320 027-1058 white (Public toilets walls)		
L11		Formica/F7845 Spectrum Red, MAT (Laminate on entrance door Ladies)		
L12		Formica/F7851 Spectrum Blue MAT (Laminate on entrance door Gents)		
L13		Formica Asia Collection/5264 Horizontal alt F1079 Natural Oak (Laminate on cubicle walls Ladies & Gents)		


L14		Formica Asia Collection/5264 Horizontal alt F1079 Natural Oak (Laminate Vanity unit fronts)			
L15		LG HiMacs/G034 Arctic Granite (Vanity unit solid surface top)			





L20-29		CAFÉ/BAR DK 4		B
L20		Formica/ F5150 American Walnut Formica/F1079 Natural Oak (Bar walls)		B
L21		Formica/ Sculpted 3505 Storm Solidz (sculpted graphite) Profiled metal profile with Strataflex/Wood RW-5399 on metal profile sim to L20 complete with wall light Slatted panel dimensions 40x20 with 8mm distance acc to detail drawing (Bar pilaster with timber trims stained sim to L20)		B
L22		Formica/ F5150 American Walnut Formica/F1079 Natural Oak (Bar counter)		B


L23		LG HiMacs/G010 Black Pearl LG HiMacs/Lago (Bar Solid surface counter top, high table top)		B
L24		Brushed s/s stiles 100x100 mounted with brushed surface randomly put up (Tiles back bar)		




L30-L39		LIVING ROOM LOUNGE & SHOP		
L30		Existing laminate (Formica Country cherry)		
L31		Formica/F6943 VirrVarr white (Living room pilasters)		
L32		Formica/ F5374 Elegant Oak NAT (Country cherry) (Living room)		
		SHOP		
L35		Formica/F2255 Polar White MAT (Shop units and wall)		
L36		Formica/K1238 Carneval Red MAT (Shop units arches and baskets)		

L40-L49		FWD RESTAURANT TASTE		B
L40		Existing lining		
L41		Formica/949 White Sculpted Matte (Profiled laminate) Pahlfer Copper net SP16 on laminate L43 (Restaurant pilasters)		B
L42		Formica/ F5374 Elegant Oak Matte Formica/F1079 Natural Oak NAT (Restaurant walls)		B
L43		Formica/F1079 Natural Oak NAT Formica/ F5374 Elegant Oak Matte (Restaurant striped wall together with L42) EXCLUDED, No striped wall		B
L44		Konradssons/Marca Corona 1741 E074 4D Line white 400x800 (Taste back counter walls)		

L45		LG HiMacs/Q034 Arctic Granite LG HiMacs/Q003 Terrazzo Moderna (Taste Restaurant counters)		B


L50-L59		DK 6 RECLINER LOUNGES (HYGGE LOUNGE) & MOVIE LOUNGES		
L50		Formica/F5374 Elegant Oak (Recliner lounges)		
L51		Gabriel/Comfort + 01012 grey (Recliner lounges padded wall and pilaster lounge)		
L52		Formica/F5374 Elegant Oak (DK 6 Alleyways)		
L53		Formica/ F5150 American Walnut (Movie Lounge wall)		

L54		Gabriel/Comfort + 01012 grey (Movie lounge pilasters)				

L60-L69		DK 6 PLUS LOUNGE		
L60		Formica/F1079 Natural Oak NAT (PLUS walls)		
L61		Formica acc to later spec plus wall light acc to later spec Formica/F1079 Natural Oak (PLUS pilaster)		
L62		Formica/F5374 Elegant Oak NAT (Chequered wall semi dark timber)		
L63		Formica/F5150 American Walnut MAT (Chequered wall dark timber)		

L64		Formica/F6209 Prestige Walnut MAT (Chequered wall very dark timber)			
L65		LG HiMacs/G34 G034 Arctic Granite			
L66		Konradssons/Carrara NAT JB7025, 300x600 (ceramic marble tile) (Tiles counter wall)			

CEILING TYPES TYPES CABINS & CREW

LITTERA	AMOUNT	TYPE	SAMPLE	Rev
C		CEILING TYPES		
CE		Existing ceiling cleaned and repaired		
C1		Panel ceiling open type Lautex 200mm. Neutral white RAL 9010 (NCS 0500-N) (Stair halls)		
C2		Panel ceiling B15 type Lautex 200mm. Neutral white RAL 9010 (NCS 0500-N) (Gents, Ladies & HWC)		
C3		Panel ceiling type Lautex 200mm. Neutral white RAL 9010 (NCS 0500-N) (Office)		
C4		Panel ceiling open type Lautex 200mm. Neutral white RAL 9010 (NCS 0500-N) (Reception)		
C5		Panel ceiling open type Lautex PR-U 100mm, complete Gislaved/M1320 – 026 – 44C sim to Elegant oak Gislaved/M1320 – 026 – 94E (Living room lounge)		A

C6		Expanded metal tiles 600x1200 with recessed light tracks. Painted white RAL 9010 (NCS 0500-N) (Shop) Integrated light track acc to Light specification		
C7		Panel ceiling open type Lautex 200mm, Neutral white RAL 9010 (NCS 0500-N) dividing fixed separation panels. (Hygge Lounge)		
C8		Flat surface laminate pelmet ceiling. Formica/F2255 Polar white MAT (Guest service)		
C9		Flat surface laminate pelmet ceiling. Formica/F2255 Polar white MAT (Taste, Restaurant server area)		B
C10		Panel ceiling open type Lautex 200mm, Neutral white RAL 9010 (NCS 0500-N) dividing fixed separation panels. (Taste, Restaurant)		B

C11		Ceiling tiles 600x600 type Lautex open type Neutral white RAL 9010 (NCS 0500-N) (Taste, Restaurant, Living Room)		B
C12a		Tiles open type Lautex 600x600 Dividing fixed profiles in white to section up area Neutral white RAL 9010 (NCS 0500-N) (Bar dk 4)		B
C12b		See C17 Center area ceiling in way of bar counter and stair enclosure		B
C13		Panel ceiling open type Lautex 200mm, Neutral white RAL 9010 (NCS 0500-N) dividing fixed separation panels. (Hygge Lounge dk.6)		
C14		Tile ceiling open type Lautex 600x600. Neutral white RAL 9010 (NCS 0500-N) (Movie lounges dk.6)		
C15		Tile ceiling open type Lautex 600x600. Neutral white RAL 9010 (NCS 0500-N) (Plus Lounge, dk.6)		
C16		Flat surface laminate pelmet ceiling. White laminate type Formica/F2255 Polar white MAT (Plus Lounge, dk.6)		
C17		Panel ceiling open type Lautex PR-U 100mm, complete with Gislaved/Décor M-1320-026-C94E (light timber) (Plus Lounge, dk6 & Café/Bar dk4)		B

FURNITURE – CHAIRS

LITTERA	AMOUNT	TYPE	SAMPLE	Rev
		DECK 4		
		FORWARD RESTAURANT TASTE		
CH1a		Type: Capdell/Concord 522WM, wood stained sim to L??, plus extra stretcher BIILIANI/Spy 660, wood stained sim to L41 Fabric: Svensson/INK 3027 Gabriel/MOOD 4104 in back Coordinated vinyl in seat Spradling/Maglia MAG 6019 Grizzly		C

CH1b

Type: ~~Capdell/Concord 522WM, wood stained sim to L??, plus extra stretcher~~
BIILIANI/Spy 660, wood stained sim to L41
Fabric: ~~Svensson/INK 3145~~
Gabriel/MOOD 1103 in back
Coordinated vinyl in seat Spradling/Maglia MAG 6019 Grizzly


C

CH2a

Type: Capdell/Concord 523WM, wood stained sim to L??, plus extra stretcher
BIILLIANI/Spy 650, wood stained sim to L41
Fabric: Svensson/INK 3027
Gabriel/MOOD 5104- 2106 in back
Coordinated vinyl in seat Spradling/Maglia MAG 6028 Minuit



C

CH2b

Type: ~~Capdell/Concord 523WM, wood stained sim to L??, plus extra stretcher~~
BIILIANI/Spy 650, wood stained sim to L41
Fabric: ~~Svensson/INK 3145~~
Gabriel/MOOD 4102 in back
Coordinated vinyl in seat Spradling/Maglia MAG 6028 Minuit


C

CH2c		Type: Capdell/Concord 523WM, wood stained sim to L??, plus extra stretcher BIILIANI/Spy 650, wood stained sim to L41 Fabric: Svensson/MYR 4426 Gabriel/MOOD 3103 in back Coordinated vinyl in seat Spradling/Maglia MAG 6443 Greenland		C
CH2d		Type: Capdell/Concord 523WM, wood stained sim to L??, plus extra stretcher Fabric: Svensson/MYR 4615 EXCLUDED		B

**STENA NORDICA
PUBLIC AREAS
DK 4 & 6****TENDER DOCUMENT****2021.12.22****37 (89)**

Revision/Date

Handläggande/Responsible

D 2022-10-18**RN**


CH3a		Existing chairs reupholstered New chairs: Type: Capdell/Concord 523WM, stained sim to L??, plus extra stretcher Fabric: Svensson/INK 3027 EXCLUDED		B
CH3b		Existing chairs reupholstered New chairs: Type: Capdell/Concord 523WM, stained sim to L??, plus extra stretcher Fabric: Svensson/INK 3145 EXCLUDED		B


		LIVING ROOM DK 4 MID SEATING AREA		
CH5		Type: Capdell/Moon Bold DSC, swivelling base with return mechanism, fixed to deck Fabrics: Svensson/MOSS 4745 (blue) 50 % of seats		
CH6		Type: Capdell/Moon Bold DSC, swivelling base with return mechanism, fixed to deck Fabrics: Svensson/MOSS 4636 (blue/green) 50 % of seats		
CH7		Type: Capdell/Concord 525UV, wire base with carpet gliders Fabrics: Svensson/MOSS 4745 (blue) seat and mid back panel Svensson/MOSS 4636 (blue/green) top panel		


		BAR DK 4		
CH8a CH8c		Existing bar chairs to be reupholstered New chairs: Type: Capdell/Plum 560, glides for carpet Fabrics: Svensson/INK 4554 Mix of Gabriel/MOOD 3105 & Gabriel/MOOD 1106 50% each acc to Furniture plan Coordinated vinyl both chair type Vescom/Leone Plus 7054.11	 	D

CH8b		Existing bar chairs to be reupholstered New chairs: Type: Capdell/Plum 560, glides for carpet Fabrics: Svensson/INK 4554 Gabriel/MOOD 4102 Vescom Fuga 7047.14 in way of 4 seaters acc to Furniture plan Coordinated vinyl in seat Spradling/Chronos CRO 0017 Baltic	 	D
------	--	---	--	----------

CH9		Type: Capdell/Concord 529M65 height 650, stained sim to bar laminate Johanson Design/Atticus BS with arms 09-64 Bar stool glides for vinyl Seat: Svensson/INK 8500 in seat and back Vescom/Creek 7053.15 (grey) Spradling /Maglia MAG 6016 Thunder	 Atticus-BS with arms 09-64 	C
-----	--	--	--	---



		MOVIE LOUNGES DK 6		
CH10		Type: IRE/Visit medium back, fixed top standard wire base Fabrics: Svensson/INK 8500	 	
CH11		Type: IRE/Visit high back, fixed top standard wire base Fabrics: Svensson/INK 8500		
		HYGGE LOUNGE DK 6		
CH12		Existing bar chairs to be reupholstered New Recliner seats: Eknes/ Fabrics: Svensson/Rami 3030.		


CH13		Existing bar chairs to be reupholstered Fabrics: Svensson/Rami 3072			
		STENA PLUS DK 6			
CH14		Type: Ire/Visit easy chair medium, fixed top Fabrics: Svensson/FLEX 553 blue (50% of seat type) (Aft Centre area)			
CH15		Type: Ire/Visit easy chair medium, fixed top Fabrics: Svensson/FLEX 505 green/blue (50% of seat type) (Aft Centre area)			
CH16		Type: Ire/Visit easy chair medium, fixed top Fabrics: Svensson/INK 4372 (PS & STB lounges)			



CH17		Type: Capdell/Concord 525UM, plus extra stretcher, timber stained sim to L61 Fabrics: Svensson/-INK 8500 (PS & STB lounges)	 	
CH18		Type: Capdell/Concord 525UM, plus extra stretcher, timber stained sim to L61 Fabrics: Svensson/INK 8500 in seat and low panel Svensson/INK 3380 in top panel (PS & STB lounges)	  	

CH19		Type: Bross Italy/Mysa, swivelling base with return mechanism, fixed to deck Fabrics: Elmo Leather/55002 Red alt. Andrew Murhead leather Caledonian, Cranberry SX014 (Feature seats portside)		C
-------------	--	---	---	----------

FURNITURE - SOFAS

LITTERA	AMOUNT	TYPE	SAMPLE	Rev
		TASTE RESTAURANT		
S1		Type: Vilax/London Light Base: L41 & brushed s/s Fabric: Svensson/MYR 4426 Vescom/Fuga 7047.10 Coordinated vinyl in seat Spradling/Maglia MAG 6443 Greenland		C
S2		Type: Vilax/London Light Base: L41 & brushed s/s Fabric: Svensson/MYR 4615 Vescom/Fuga 7047.01 Coordinated vinyl in seat Spradling/Maglia MAG 6028 Minuit		C
S3		Type: Vilax/London Light Base: L41 & brushed s/s Fabric: Seat Svensson/MYR 4426 Back mix of MYR 4426 & MYR 4615 Vescom/FUGA 7047.19 Coordinated vinyl in seat Spradling/MAG 6019 Grizzly		C

		LIVING ROOM		
S4		Type: Johanson Design/U-Sit integrated in laminated structure base and table in between units Base: L30 & brushed s/s Fabric: Svensson/MOSS 4636 (blue/green)		
		BARISTA BAR DK 4		
S5		Type: Vilax/London Light Base: L20 Fabric: Svensson/INK4554 Back in fabric Gabriel/MOOD 4102 MOOD 3105 Seat in vinyl, color coordinated with back acc to later spec Spradling/MAG 6027 Tahoe (Cafè/Bar seating)		D

		PLUS LOUNGE		
S6		Type: Johanson Design/U-Sit Base: L61 & brushed s/s Fabric: Svensson/INK 4436 (blue) (Aft Centre area)		
S7		Type: Johanson Design/U-Sit Base: L61 & brushed s/s Fabric: Svensson/INK 8500 (grey) (PS lounge)		

ROOM SPECIFICATION DK 4 - 6

ROOM No	LITTERA	AREA/ DESCRIPTION	SAMPLE	Rev
		STAIR HALLS Scope of works: New stair halls to have soft core panels with foil. Landing to have laminate panel asll weall with color coded metal letters Wall to wall carpet in steps and vinyl flooring on landings		
F	F1:2 F2:1	Stair hall deck Stair treads and landing		
S		Brushed s/s		
B	L1 alt L3 L2	L1 or L3 to be used depending to the existing walls Landing wall extent to be decided with architect. Digitally cut metal letters in stair hall color		
C	CE C1	Light fittings to substituted with LED spots acc to Light spec		
CI		Stair nosing type Gradus		
		New railing dk 4-6 in brushed s/s with glass filling complete with etched tape. To dk 4 filling with stretched metal .		

**STENA NORDICA
PUBLIC AREAS
DK 4 & 6****TENDER DOCUMENT****2021.12.22****50 (89)**


Revision/Date

Handläggande/Responsible

D 2022-10-18**RN**

	0,25 pcs per sqm	System lighting general: Type Glamox/Downlight general lighting DL60-R155 LED Light output: 1400lumen Reflector angle: 105 degrees Color temp: 3000K Wall lights: Allow PC sum of 470€ New spotlights acc to light spec According to separate light specification		B

STAIR HALLS



ROOM SPECIFICATION DK 4 & 6

ROOM No	LITTERA	AREA/ DESCRIPTION	SAMPLE	Rev
		ELEVATOR/LIFT		
F	F1:2			
S		Brushed s/s		
B	L3 L4	Two walls in wood laminate Wall facing door in full height mirror		
C		Special flat surface ceiling with circular holes backlit acc to dwg		
CI		Elevator door in s/s with deck number in color coded vinyl on door acc to sign spec		
		Grab rail + 900 and protection rail +150 in s/s diam 40 acc to dwg		

ROOM SPECIFICATION DK 4 & 6

ROOM No	LITTERA	AREA/ DESCRIPTION	SAMPLE	Rev
		PUBLIC TOILET LADIES		
F	F3:1			
S	F3:1	Floor tiles to be used for skirting		
B	L10			
C	C2			
CI	L13	Cubicle walls. Cubicle walls in stainless steel structure type Spectra Space		
	L14 L15	Vanity Unit in laminate and LG HiMacs top acc to dwg Sensor operated taps type Oras, soap dispensers recessed in mirror unit		
	L11	Entrance door to Ladies		
		Accessories type Geesa acc to elevations		
	0,25 pcs	System lighting general:		B

**STENA NORDICA
PUBLIC AREAS
DK 4 & 6****TENDER DOCUMENT****2021.12.22****54 (89)**

Revision/Date

Handläggande/Responsible

D 2022-10-18**RN**

	per sqm	Type Glamox/Downlight general lighting DL60-R155 LED Light output: 1400lumen Reflector angle: 105 degrees Color temp: 3000K According to separate light specification		
--	----------------	--	--	--

ROOM SPECIFICATION DK 4 & 6

ROOM No	LITTERA	AREA/ DESCRIPTION	SAMPLE	Rev
		PUBLIC TOILET GENTS		
F	F3:1			
S	F3:1	Floor tiles to be used for skirting		
B	L10			
C	C2			
CI	L13	Cubicle walls. Cubicle walls in stainless steel structure type Spectra Space		
	L14 L15	Vanity Unit in laminate and LG HiMacs top acc to dwg Sensor operated taps type Oras, soap dispensers recessed in mirror unit		
	L12	Entrance door to GENTS		
		Accessories type Geesa acc to elevations		

**STENA NORDICA
PUBLIC AREAS
DK 4 & 6****TENDER DOCUMENT****2021.12.22****56 (89)**

Revision/Date

Handläggande/Responsible

D 2022-10-18**RN**

	0,25 pcs per sqm	System lighting general: Type Glamox/Downlight general lighting DL60-R155 LED Light output: 1400lumen Reflector angle: 105 degrees Color temp: 3000K According to separate light specification		B
		Mirror lighting See detail drawing		

PUBLIC TOILETS ILLUSTRATION



ROOM SPECIFICATION DK 4

ROOM No	LITTERA	AREA/ DESCRIPTION	SAMPLE	Rev
		GUEST SERVICE		
F	F1:2 F2:5	Outside guest service if new floor Inside counter and office		
S		Brushed s/s		
B	L6 L7	Counter and pelmet Back wall of Guest services. Complete with s/s letters reading "GUEST SERVICE"		
C	C3 C4 C8			
CI		Wall clock type Arne Jacobsen/Banker diam 500		
	L6/L8	Guest service counter in L6 with L8 top		

**STENA NORDICA
PUBLIC AREAS
DK 4 & 6****TENDER DOCUMENT****2021.12.22****59 (89)**

Revision/Date

Handläggande/Responsible


D 2022-10-18**RN**

	0,25 pcs per sqm	System lighting general: Type Glamox/Downlight general lighting D60-R155 LED Light output: 1400lumen Reflector angle: 105 degrees Color temp: 3000K According to separate light specification		B
--	-----------------------------	--	--	----------

GUEST SERVICES ILLUSTRATION



ROOM SPECIFICATION DK 4

ROOM No	LITTERA	AREA/ DESCRIPTION	SAMPLE	Rev
		OFFICE		
F	F2:5			
S		Brushed s/s		
B	L1 L8	Wood finish walls Light off white wall	 	
C	C3			
CI		Office furniture in laminate L6 Shelf on aft. wall above desk in L6, 300 mm deep with fiddle rail. 2 pcs of desk 1500x700mm with a floor standing cabinet underneath. 2 pcs desk chair. 2 pcs of safe cabinets against fwd wall owners supply.	 	

**STENA NORDICA
PUBLIC AREAS
DK 4 & 6****TENDER DOCUMENT****2021.12.22****62 (89)**

Revision/Date

Handläggande/Responsible

D 2022-10-18**RN**

		Curtain: Type Svensson/Amara 4500 blue stretched between s/s rods		
	0,25 pcs per sqm	System lighting general: Type Glamox/Downlight general lighting D60-R155 LED Light output: 1400lumen Reflector angle: 105 degrees Color temp: 3000K According to separate light specification		B

ROOM SPECIFICATION DK 4

ROOM No	LITTERA	AREA/ DESCRIPTION	SAMPLE	Rev
		SHOP		
F	F1:4			
S		Brushed s/s		
B	L35	Visible bulkheads		
C	C6	With recessed light tracks with spotlights		

CI	L35 L35 L36	Shop all wall units Shop gondolas acc to dwg Shop arch and shop impulse units All shop units to have white perforated metal shelves with s/s fiddle rail. Perfume shelves in 8 mm toughened glass with s/s fiddle rail		
		Till unit in Corian and laminate		
		Fixed glass partition and sliding glass partition in way of alleyway. Glass partitions type Dorma Etched tape on glass acc to separate spec		
		A60 shutters acc to drawing		
	75 pcs spotlight	Expanded metal tiles 600x1200 with recessed light tracks type DALI Spotlights type XAL Varo 80S System output: 2555lumen Reflector angle flood: 38 degrees Reflector angle spot: 17 degrees Color temp: 4000K		B
		Decorative ceiling lights: Decorative ceiling lights with fabric over till unit Type: Dayeang alt Belid Fabric: Svensson acc to later spec According to separate light specification		B

SHOP ILLUSTRATION




ROOM SPECIFICATION DK 4

ROOM No	LITTERA	AREA/ DESCRIPTION	SAMPLE	Rev
		SHOP STORE		
F	F4:1	Polyflor Voyager		
S				
B		Stainless steel panels acc to contract		
C		Stainless steel panel ceiling acc to contract		
CI		Storage units etc acc to owner		
		Till unit in LG HiMacs		
	0,5 pcs per sqm	System lighting general: Type Glamox/Downlight general lighting D60-R155 LED Light output: 2000lumen Reflector angle: 105 degrees Color temp: 4000K According to separate light specification		

ROOM SPECIFICATION DK 4

ROOM No	LITTERA	AREA/ DESCRIPTION	SAMPLE	Rev
		LIVING ROOM LOUNGE		
F	F2:4			
S		Brushed s/s		
B	L30 L31	Walls in L30 Pilaster in L31 with wood trim sim to L30 complete with wall light acc to Light spec		
C	C5			
CI		Partitions bookcase in laminate L30 and metal top book shelf top acc to dwg		
		Sofa units with pilaster and dividing table unit in L30 with wood trim Pilaster in L31 with wood trim sim to L30 complete with wall light acc to Light spec		
	S4	Sofa transversal walls		

	CH5 CH6 CH7	Chairs Chairs Lounge chairs		
		Tables Top: Laminate type Formica L30 Size: see drawing Base: Type Johanson Design/Fix, satin finish height 720		
		Top: Laminate type Formica L31 Size: see drawing Base: Type Johanson Design/Fix satin finish, height 650		
		Fixed venetian blinds in s/s acc to dwg		
	0,25 pcs per sqm	System lighting general: Type Glamox/Downlight general lighting D60-R155 LED Light output: 2000lumen Reflector angle: 105 degrees Color temp: 3000K		
		System lighting over table: Type Glamox/Downlight DL60-R92 Light output: 700lumen Reflector angle: 24gr Color temp: 3000K		
	3pcs	Decorative ceiling lights: Decorative ceiling lights with fabric		

**STENA NORDICA
PUBLIC AREAS
DK 4 & 6****TENDER DOCUMENT****2021.12.22****69 (89)**


Revision/Date

Handläggande/Responsible

D 2022-10-18**RN**

		Type: Dayeang alt. Belid Fabric: Svensson acc to later spec		
	10 pcs	Wall lights: Allow PC sum. 400€		


LIVING ROOM ILLUSTRATION



ROOM SPECIFICATION DK 4

ROOM No	LITTERA	AREA/ DESCRIPTION	SAMPLE	Rev
		FWD RESTAURANT TASTE BUFFET		B
F	F1:2 F1:3 F2:2	Alleyways Counter queuing area Seating areas		
S		Brushed s/s		
B	L40 L42/L43 L41 L44	Transversal wall aft in restaurant to be striped L41 & L42 Striped wall Pilasters with wood trim complete with metal mesh and wall light Sector Back bar tiles		B
C	CE/C10 C9 C10 C11	Existing Completed with new surface mounted ceiling lights acc to Light spec Existing spotlights to be equipped with LED or replaced Pelmet ceiling over servery Panel ceiling Cassette ceiling		

CI	L44/L42	Taste counter design Corian with		
-----------	----------------	----------------------------------	--	--

	L41	New pilasters in L41 with wood trim		
		3 pcs of waiter stations in laminate and LG HiMacs sim design to counters		
		Railings in metal with glass filling and wood top. Glass complete with etched tape		
	S1 S2 S3			
		Tables Top: Formica acc to later spec with wood trim Size: acc to drawing Base: Type Johanson Design/Fix, satin finish height 720		
	CH1a CH1b CH2a CH2b CH2c CH2d	New chairs restaurant seats New chairs restaurant seats New chairs restaurant seats New chairs restaurant seats New chairs restaurant seats New chairs restaurant seats		
	CH3a CH3b	Reupholstered restaurant chairs and refurbished chairs New chairs restaurant seats Reupholstered restaurant chairs and refurbished chairs New chairs restaurant seats		A
		Tables Top: Formica acc to later spec Size: acc to drawing Base: Type Johanson Design/Fix, satin finish height 720		

		Tables Top: Formica acc to later spec with s/s metal trim Size: acc to drawing Base: Type Johanson Design/Fix, satin finish height 720		
		Curtains: Svensson/Topic 8000 mounted between s/s rods acc to dwg Acc to later spec		B
	0,25 pcs per sqm	System lighting general: Type Glamox/Downlight general lighting D60-R155 LED Light output: 2000lumen Reflector angle: 105 degrees Color temp: 3000K According to separate light specification		
		System lighting over table: Type Glamox/Downlight DL60-R92 Light output: 700lumen Reflector angle: 24gr Color temp: 3000K According to separate light specification		
	25pcs	Decorative ceiling lights: Decorative ceiling lights with fabric Type: Dayeang alt. Belid BLOND Fabric: Svensson Fabric acc to later spec According to separate light specification		B

Projektnamn/Project name

**STENA NORDICA
PUBLIC AREAS
DK 4 & 6**

Typ av handling/Type of document

TENDER DOCUMENT

Datum/Date

2021.12.22

Revision/Date

D 2022-10-18

Sidnr/Page No

74 (89)

Handläggande/Responsible

RN



	28 pcs	Wall lights: Allow PC sum. 400€ According to separate light specification		
--	---------------	---	--	--

FWD RESTAURANT ILLUSTRATION



ROOM SPECIFICATION DK 4

ROOM No	LITTERA	AREA/ DESCRIPTION	SAMPLE	Rev
		MID BAR		
F	F1:5 F2:3			
S		Brushed s/s		
B	L20 L21	Slatted panel pilaster with wood trim complete with new wall light		B
C	C5			
CI		Railings in metal with with s/s rods and wood top stained sim L20		B
	CH8a CH8b			
		Tables in way of sofa Top: Formica laminate acc to later spec with wood trim Base: Reused existing bar bases		

		High table along stair casing Top shelf: L23		
	CH9	Bar stools		
	L22 L23	Car counter		
	L24	Back bar tiles		
		Curtains alt fixed venetian blind in s/s acc to later spec		
	0,25 pcs per sqm	System lighting general: Type Glamox/Downlight general lighting D60-R155 LED Light output: 2000lumen Reflector angle: 105 degrees Color temp: 3000K According to separate light specification		B
		System lighting over table: Type Glamox/Downlight DL60-R92 Light output: 700lumen Reflector angle: 24gr Color temp: 3000K According to separate light specification		B
	8pcs	Decorative ceiling lights: Decorative ceiling lights with fabric Type: Dayeang alt. Belid Fabric: Svensson acc to later spec According to separate light specification		B
	12 pcs	Wall lights: Allow PC sum. 400€ According to separate light specification		B

ROOM SPECIFICATION DK 6

ROOM No	LITTERA	AREA/ DESCRIPTION	SAMPLE	Rev
		HYGGE LOUNGE		
F	F2:6			
S		Brushed s/s		
B	L50 L51	Walls Pilaster in padded L51 with wood trim stained as L50 complete with wall light acc to Light spec Transversal wall with TV in horizontal padded panels in L51		
C	C13			
CI	CH12 CH13	Reupholstered recliners New chairs recliner seats Reupholstered recliners New chairs recliner seats		A
	0,25 pcs per sqm	System lighting general: Type Glamox/Downlight general lighting D60-R155 LED Light output: 2000lumen Reflector angle: 105 degrees Color temp: 3000K According to separate light specification		B
	15 pcs	Wall lights: Allow PC sum. 400€ According to separate light specification		B

HYGGE LOUNGE ILLUSTRATION



ROOM SPECIFICATION DK 6

ROOM No	LITTERA	AREA/ DESCRIPTION	SAMPLE	Rev
		MOVIE LOUNGE		
F	F2:6			
S		Brushed s/s		
B	L53 L54 L54	Walls Transversal wall with TV in horizontal panel in L51 Pilasters in padded L54 with wood trim complete with wall light		
C	C14			
CI	CH10 CH11	Lounge chair Lounge chair		
		Double sided free standing monitor unit in laminate and s7s metal. Monitor to be protected with toughened and anti relex glass.		
		Black out blinds in way of windows		

**STENA NORDICA
PUBLIC AREAS
DK 4 & 6****TENDER DOCUMENT****2021.12.22****81 (89)**

Revision/Date

Handläggande/Responsible

D 2022-10-18**RN**

	0,25 pcs per sqm	System lighting general: Type Glamox/Downlight general lighting D60-R155 LED Light output: 2000lumen Reflector angle: 105 degrees Color temp: 3000K According to separate light specification		B
	15 pcs	Wall lights: Allow PC sum. 400€ According to separate light specification		B

MOVIE LOUNGE ILLUSTRATION



ROOM SPECIFICATION DK 6

ROOM No	LITTERA	AREA/ DESCRIPTION	SAMPLE	Rev
		STENA PLUS		
F	F1:6 F2:7			
S		Brushed s/s		
B	L61 L66 L61/L62 L63/L64	Tiles in way of counter acc to dwg Checkered pattern decorative wall STB and PS		
C	C15 C16 C17	Counter area Counter pelmets Seating area		
CI	L65	Meet & greet counter in solid surface material		
	L65 L61	Buffet counters in laminate and solid surface material		
	S7	Sofas with table light along transversal wall Table light: Blond/Miso acc to separate Light specification		B
	S6	Sofa units with table light center area Table light: Blond/Miso acc to separate Light specification		A

	CH13 CH14 CH15 CH16 CH17 CH18 CH19	Lounge chair Lounge chair Lounge chair Lounge chair Lounge chair Lounge chair PS & STB corner high lounge chair		
	0,25 pcs per sqm	System lighting general: Type Glamox/Downlight general lighting D60-R155 LED Light output: 2000lumen Reflector angle: 105 degrees Color temp: 3000K According to separate light specification		B
		System lighting over table: Type Glamox/Downlight DL60-R92 Light output: 700lumen Reflector angle: 24gr Color temp: 3000K According to separate light specification		B

**STENA NORDICA
PUBLIC AREAS
DK 4 & 6****TENDER DOCUMENT****2021.12.22****85 (89)**

Revision/Date

Handläggande/Responsible

D 2022-10-18**RN**

	13pcs	Decorative ceiling lights: Decorative ceiling lights with fabric Type: Dayeang alt. Belid Fabric: Svensson acc to later spec According to separate light specification		B
	20 pcs	Wall lights: Allow PC sum. 400€ According to separate light specification		B

STENA PLUS ILLUSTRATION



SUPPLIERS LIST

FLOORING

Haima Group Corp

No. 110, Heping Road, Weihai Shangdong, P. R. China
Tel: 0631 5225880 Fax: 0631 5226887
copyright Haima group 2005 鲁ICP备05030917号

Hammer Carpets

Phone +45 9627 0000
Mail hammer@hammercarpets.com

Hammer & Ege Carpets Marine
Industrivej Syd 17-19, Birk
DK-7400 HerningHej Olle

Gerflor
Transport Flooring Division

43, bld Robert Michon
69170 Tarare
France

Tel : +33 (0)4 74 05 40 00

LININGS

Formica Group

11 Silver Fox Way
Newcastle upon Tyne
Tyne & Wear
NE27 0QJ
United Kingdom

Customer Service:

+44 191 259 3100

Samples:

+44 191 259 3512

Gislaved foil

Losalin Ye
Gislaved Folie AB Shanghai Office,
Rm 6313, West Bldg, Jin Jiang Hotel
59 Mao Ming Rd. (S),
Shanghai 200020, China

Phone: +86 21 5465 3907

Fax: +86 21 6267 5980 Ref. Losalin Ye

E-mail: losalinye@gislavedfolie.se

LG Hausys Trading Co., Ltd (LG HiMacs)

19F Magnolia Plaza No.777 Hongqiao Road, Xuhui District,
Shanghai, China 200030

86-21-5241-6600

**STENA NORDICA
PUBLIC AREAS
DK 4 & 6**

TENDER DOCUMENT

2021.12.22

88 (89)

Revision/Date

Handläggande/Responsible

D 2022-10-18

RN

FURNITURE

Capdell

hong-kong@capdell.com

Silleria Alacuás S.A.
Flora Tristán, 24
46970 Alacuás SPAIN
tel.: +34 961 502 950
fax.: +34 961 502 251
info@capdell.com

Johansson Design

SE 285 35 Markaryd
Sweden

Phone: +46 (0)433 725 00
Facsimile: +46 (0)433 725 05
E-mail: info@johansondesign.se

Iremobler

Fabriksgatan 5
SE-543 50 Tibro
Sweden

Tel. +46 (0) 504-191 00
Fax. +46 (0) 504-156 75

<http://iremobel.se/contact/>

Billiani

<https://www.billiani.it/it/>

Via della Roggia 28
33044 Manzano (UD), Italy
T. (+39) 0432 740180
F. (+39) 0432 755953

info@billiani.it

**STENA NORDICA
PUBLIC AREAS
DK 4 & 6****TENDER DOCUMENT****2021.12.22****89 (89)**

Revision/Date

Handläggande/Responsible

D 2022-10-18**RN****FABRICS****Svensson**

511 82 Kinna

T: +46 320 20 92 00

E: info@ludvigsvensson.com**Vescom B.V.**Sint Jozefstraat 20
5753 AV Deurne
Netherlands+31 (0)493 315 833
sales@vescom.com**CEILINGS****Inexa TNF Aps**Baldersbuen 27G
DK-2640 Hedehusene
Denmark
+45 88 32 78 19
info@inexa-tnf.com**Oy Lautex Ab**[Ojakkalantie 13](#)
(P.O. Box 58)
03101 Nummela
FinlandPuh. +358 9 224 8810
Fax. +358 9 222 5447sales@lautex.com
www.lautex.com